

Family	Genus	Specific epithet	common names
Aizoaceae	<i>Tetragonia</i>	<i>tetragonioides</i>	New Zealand spinach
Amaranthaceae	<i>Amaranthus</i>	<i>albus</i>	tumble pigweed
Amaryllidaceae	<i>Allium</i>	<i>canadense</i>	wild onion, wild bulbous onion
Amaryllidaceae	<i>Allium</i>	<i>cepa</i>	onion
Amaryllidaceae	<i>Allium</i>	<i>fistulosum</i>	Welsh onion
Amaryllidaceae	<i>Allium</i>	<i>porrum</i>	leek
Amaryllidaceae	<i>Allium</i>	<i>schoenoprasum</i>	chives
Amaryllidaceae	<i>Allium</i>	<i>vineale</i>	wild garlic
Apiaceae	<i>Anethum</i>	<i>graveolens</i>	dill
Apiaceae	<i>Apium</i>	<i>graveolens</i>	celery
Apiaceae	<i>Carum</i>	<i>carvi</i>	caraway, wild caraway
Apiaceae	<i>Conium</i>	<i>maculatum</i>	poison hemlock
Apiaceae	<i>Coriandrum</i>	<i>sativum</i>	coriander
Apiaceae	<i>Daucus</i>	<i>carota</i>	carrot
Apiaceae	<i>Pastinaca</i>	<i>sativa</i>	parsnip; wild parsnip
Apiaceae	<i>Petroselinum</i>	<i>crispum</i>	parsley
Apocynaceae	<i>Asclepias</i>	<i>syriaca</i>	common milkweed
Asparagaceae	<i>Asparagus</i>	<i>officinalis</i>	asparagus
Asteraceae	<i>Achillea</i>	<i>millefolium</i>	common yarrow, woolly yarrow, western yarrow
Asteraceae	<i>Ambrosia</i>	<i>artemisiifolia</i>	common ragweed
Asteraceae	<i>Ambrosia</i>	<i>trifida</i>	giant ragweed
Asteraceae	<i>Anthemis</i>	<i>arvensis</i>	field chamomile
Asteraceae	<i>Anthemis</i>	<i>cotula</i>	dogfennel, mayweed
Asteraceae	<i>Arctium</i>	<i>lappa</i>	great burdock
Asteraceae	<i>Carduus</i>	<i>nutans</i>	musk thistle, nodding thistle
Asteraceae	<i>Carthamus</i>	<i>tinctorius</i>	safflower
Asteraceae	<i>Centaurea</i>	<i>cyanus</i>	cornflower, bachelor's button, ragged robin
Asteraceae	<i>Centaurea</i>	<i>solstitialis</i>	yellow starthistle
Asteraceae	<i>Cichorium</i>	<i>endivia</i>	endive
Asteraceae	<i>Cirsium</i>	<i>arvense</i>	Canada thistle
Asteraceae	<i>Cirsium</i>	<i>undulatum</i>	wavyleaf thistle
Asteraceae	<i>Cirsium</i>	<i>vulgare</i>	bull thistle
Asteraceae	<i>Crepis</i>	<i>capillaris</i>	smooth hawksbeard
Asteraceae	<i>Cynara</i>	<i>cardunculus</i>	artichoke, cardoon, artichoke thistle
Asteraceae	<i>Helianthus</i>	<i>annuus</i>	common sunflower, wild sunflower
Asteraceae	<i>Helianthus</i>	<i>ciliaris</i>	blueweed, Texas blueweed
Asteraceae	<i>Helminthotheca</i>	<i>echioides</i>	bristly ox-tongue
Asteraceae	<i>Hypochaeris</i>	<i>radicata</i>	spotted cat's-ear
Asteraceae	<i>Iva</i>	<i>axillaris</i>	poverty weed, poverty sumpweed, mouse-ear poverty weed
Asteraceae	<i>Lactuca</i>	<i>sativa</i>	lettuce
Asteraceae	<i>Leucanthemum</i>	<i>vulgare</i>	oxeye daisy, Shasta daisy
Asteraceae	<i>Onopordum</i>	<i>acanthium</i>	Scotch thistle, cotton thistle
Asteraceae	<i>Rhaponticum</i>	<i>repens</i>	Russian knapweed
Asteraceae	<i>Rudbeckia</i>	<i>hirta</i>	black-eyed-Susan, hairy coneflower

Family	Genus	Specific epithet	common names
Asteraceae	<i>Sonchus</i>	<i>arvensis</i>	perennial sowthistle
Asteraceae	<i>Sonchus</i>	<i>asper</i>	spiny sowthistle, spring sowthistle
Asteraceae	<i>Sonchus</i>	<i>oleraceus</i>	annual sowthistle
Asteraceae	<i>Taraxacum</i>	<i>officinale</i>	dandelion
Asteraceae	<i>Tragopogon</i>	<i>porrifolius</i>	oysterplant, salsify
Asteraceae	<i>Tragopogon</i>	<i>pratensis</i>	yellow goatsbeard, meadow salsify
Asteraceae	<i>Tripleurospermum</i>	<i>inodorum</i>	scentless mayweed
Asteraceae	<i>Xanthium</i>	<i>strumarium</i>	common cocklebur
Boraginaceae	<i>Amsinckia</i>	<i>tessellata</i>	western fiddleneck
Boraginaceae	<i>Buglossoides</i>	<i>arvensis</i>	corn gromwell, field gromwell
Boraginaceae	<i>Echium</i>	<i>vulgare</i>	blueweed
Boraginaceae	<i>Lappula</i>	<i>squarrosa</i>	bluebur, European stickseed
Brassicaceae	<i>Barbarea</i>	<i>verna</i>	upland cress, early wintercress
Brassicaceae	<i>Barbarea</i>	<i>vulgaris</i>	bitter wintercress, yellowrocket
Brassicaceae	<i>Berteroa</i>	<i>incana</i>	hoary alyssum
Brassicaceae	<i>Brassica</i>	<i>juncea</i>	brown mustard, India mustard, Indian mustard
Brassicaceae	<i>Brassica</i>	<i>napus</i>	annual rape, winter rape, (Argentine type rapeseed, oilseed rape, canola), forage rape
Brassicaceae	<i>Brassica</i>	<i>nigra</i>	black mustard, wild mustard
Brassicaceae	<i>Brassica</i>	<i>oleracea</i>	broccoli, cauliflower
Brassicaceae	<i>Brassica</i>	<i>rapa</i>	annual turnip rape, biennial turnip rape, bird rape, turnip
Brassicaceae	<i>Camelina</i>	<i>microcarpa</i>	littleseed falseflax
Brassicaceae	<i>Camelina</i>	<i>sativa</i>	bigseed falseflax; camelina
Brassicaceae	<i>Capsella</i>	<i>bursa-pastoris</i>	shepherd's-purse
Brassicaceae	<i>Crambe</i>	<i>hispanica</i>	crambe
Brassicaceae	<i>Lepidium</i>	<i>campestre</i>	field peppergrass, field peppercress, field pepperweed
Brassicaceae	<i>Lepidium</i>	<i>draba</i>	heart-podded hoarycress, whitetop
Brassicaceae	<i>Lepidium</i>	<i>sativum</i>	garden cress
Brassicaceae	<i>Nasturtium</i>	<i>officinale</i>	watercress
Brassicaceae	<i>Raphanus</i>	<i>raphanistrum</i>	wild radish
Brassicaceae	<i>Raphanus</i>	<i>sativus</i>	radish
Brassicaceae	<i>Rapistrum</i>	<i>rugosum</i>	common giant mustard, turnipweed
Brassicaceae	<i>Sinapis</i>	<i>alba</i>	white mustard
Brassicaceae	<i>Sinapis</i>	<i>arvensis</i>	charlock, field mustard, wild mustard, wild turnip
Brassicaceae	<i>Thlaspi</i>	<i>arvense</i>	fanweed, Frenchweed, field pennycress
Caryophyllaceae	<i>Agrostemma</i>	<i>githago</i>	corncockle
Caryophyllaceae	<i>Silene</i>	<i>latifolia</i>	white campion, white cockle
Caryophyllaceae	<i>Silene</i>	<i>noctiflora</i>	night-flowering catchfly
Caryophyllaceae	<i>Silene</i>	<i>vulgaris</i>	bladder campion, cowbell campion
Caryophyllaceae	<i>Stellaria</i>	<i>media</i>	common chickweed
Caryophyllaceae	<i>Vaccaria</i>	<i>hispanica</i>	cow-cockle
Chenopodiaceae	<i>Atriplex</i>	<i>canescens</i>	fourwing saltbush
Chenopodiaceae	<i>Bassia</i>	<i>scoparia</i>	kochia
Chenopodiaceae	<i>Beta</i>	<i>vulgaris</i>	beet, field beet, sugar beet, Swiss chard, mangel

Family	Genus	Specific epithet	common names
Chenopodiaceae	<i>Chenopodium</i>	<i>album</i>	common lamb's-quarters
Chenopodiaceae	<i>Salsola</i>	<i>tragus</i>	common Russian-thistle, tumbling Russian-thistle
Chenopodiaceae	<i>Spinacia</i>	<i>oleracea</i>	spinach
Convolvulaceae	<i>Calystegia</i>	<i>sepium</i>	hedge bindweed
Convolvulaceae	<i>Convolvulus</i>	<i>arvensis</i>	field bindweed
Convolvulaceae	<i>Cuscuta</i>	<i>pentagona</i>	field dodder
Convolvulaceae	<i>Dichondra</i>	<i>repens</i>	dichondra
Convolvulaceae	<i>Ipomoea</i>	<i>hederacea</i>	ivyleaf morning-glory
Convolvulaceae	<i>Ipomoea</i>	<i>purpurea</i>	tall morning-glory, wild morning-glory, woolly morning-glory
Cucurbitaceae	<i>Citrullus</i>	<i>lanatus</i>	watermelon
Cucurbitaceae	<i>Cucumis</i>	<i>melo</i>	muskmelon, cantaloupe, honeydew
Cucurbitaceae	<i>Cucumis</i>	<i>sativus</i>	cucumber
Cucurbitaceae	<i>Cucurbita</i>	<i>maxima</i>	mammoth pumpkin, winter large squash
Cucurbitaceae	<i>Cucurbita</i>	<i>pepo</i>	small gourd, common pumpkin, acorn squash, summer squash
Cyperaceae	<i>Cyperus</i>	<i>esculentus</i>	yellow nutgrass, yellow nutsedge
Cyperaceae	<i>Cyperus</i>	<i>rotundus</i>	purple nutgrass, purple nutsedge
Euphorbiaceae	<i>Acalypha</i>	<i>virginica</i>	three-seeded mercury
Euphorbiaceae	<i>Euphorbia</i>	<i>esula</i>	leafy spurge
Euphorbiaceae	<i>Euphorbia</i>	<i>maculata</i>	spotted spurge
Euphorbiaceae	<i>Ricinus</i>	<i>communis</i>	castorbean
Fabaceae	<i>Aeschynomene</i>	<i>indica</i>	ding ding, curly indigo, Indian jointvetch, northern jointvetch, sensitive jointvetch
Fabaceae	<i>Arachis</i>	<i>hypogaea</i>	peanut
Fabaceae	<i>Chamaecrista</i>	<i>fasciculata</i>	partridge pea
Fabaceae	<i>Cicer</i>	<i>arietinum</i>	chickpea, garbanzo bean
Fabaceae	<i>Cyamopsis</i>	<i>tetragonaloba</i>	guar
Fabaceae	<i>Glycine</i>	<i>max</i>	soybean
Fabaceae	<i>Kummerowia</i>	<i>stipulacea</i>	Korean lespedeza
Fabaceae	<i>Kummerowia</i>	<i>striata</i>	common lespedeza, striate lespedeza
Fabaceae	<i>Lathyrus</i>	<i>hirsutus</i>	rough-pea
Fabaceae	<i>Lathyrus</i>	<i>sylvestris</i>	flat-pea
Fabaceae	<i>Lens</i>	<i>culinaris</i>	lentil
Fabaceae	<i>Lespedeza</i>	<i>cuneata</i>	Chinese lespedeza, sericea lespedeza
Fabaceae	<i>Lotus</i>	<i>corniculatus</i>	birdsfoot trefoil
Fabaceae	<i>Lotus</i>	<i>uliginosus</i>	big trefoil
Fabaceae	<i>Medicago</i>	<i>lupulina</i>	black medic
Fabaceae	<i>Medicago</i>	<i>sativa</i>	alfalfa, lucerne
Fabaceae	<i>Melilotus</i>	<i>albus</i>	white sweetclover, hubam sweetclover, white blossom sweetclover
Fabaceae	<i>Melilotus</i>	<i>indicus</i>	sourclover
Fabaceae	<i>Melilotus</i>	<i>officinalis</i>	yellow sweetclover, yellow blossom sweetclover
Fabaceae	<i>Phaseolus</i>	<i>coccineus</i>	scarlet runner bean
Fabaceae	<i>Phaseolus</i>	<i>lunatus</i>	lima bean
Fabaceae	<i>Phaseolus</i>	<i>vulgaris</i>	field bean, garden bean
Fabaceae	<i>Pisum</i>	<i>sativum</i>	pea, garden pea, field pea

Family	Genus	Specific epithet	common names
Fabaceae	<i>Securigera</i>	<i>varia</i>	crownvetch
Fabaceae	<i>Sesbania</i>	<i>exaltata</i>	tall indigo, peatree, Colorado river-hemp, hemp sesbania
Fabaceae	<i>Trifolium</i>	<i>campestre</i>	large hop clover, low hop clover
Fabaceae	<i>Trifolium</i>	<i>dubium</i>	small hop clover, suckling clover, Irish shamrock
Fabaceae	<i>Trifolium</i>	<i>fragiferum</i>	strawberry clover
Fabaceae	<i>Trifolium</i>	<i>hirtum</i>	rose clover
Fabaceae	<i>Trifolium</i>	<i>hybridum</i>	alsike clover
Fabaceae	<i>Trifolium</i>	<i>incarnatum</i>	crimson clover
Fabaceae	<i>Trifolium</i>	<i>pratense</i>	red clover
Fabaceae	<i>Trifolium</i>	<i>repens</i>	ladino clover, white clover
Fabaceae	<i>Trifolium</i>	<i>subterraneum</i>	subterranean clover, subclover
Fabaceae	<i>Trifolium</i>	<i>vesiculosum</i>	arrowleaf clover
Fabaceae	<i>Vicia</i>	<i>benghalensis</i>	purple vetch
Fabaceae	<i>Vicia</i>	<i>cracca</i>	bird vetch, boreal vetch, tufted vetch
Fabaceae	<i>Vicia</i>	<i>faba</i>	broadbean, fava-bean, horsebean
Fabaceae	<i>Vicia</i>	<i>sativa</i>	common vetch
Fabaceae	<i>Vicia</i>	<i>villosa</i>	hairy vetch
Fabaceae	<i>Vigna</i>	<i>radiata</i>	mung bean
Fabaceae	<i>Vigna</i>	<i>unguiculata</i>	black-eyed pea, cowpea, southern-pea
Geraniaceae	<i>Erodium</i>	<i>cicutarium</i>	alfilaria, redstem filaree
Geraniaceae	<i>Geranium</i>	<i>dissectum</i>	cutleaf geranium
Hypericaceae	<i>Hypericum</i>	<i>perforatum</i>	St. John's-wort; klamathweed
Juncaceae	<i>Juncus</i>	<i>tenuis</i>	path rush
Lamiaceae	<i>Dracocephalum</i>	<i>parviflorum</i>	American dragonhead
Lamiaceae	<i>Lamium</i>	<i>amplexicaule</i>	henbit
Lamiaceae	<i>Mentha</i>	<i>xpiperita</i>	peppermint
Lamiaceae	<i>Nepeta</i>	<i>cataria</i>	catnip
Lamiaceae	<i>Ocimum</i>	<i>basilicum</i>	sweet basil
Lamiaceae	<i>Prunella</i>	<i>vulgaris</i>	heal-all, self-heal
Lamiaceae	<i>Salvia</i>	<i>officinalis</i>	sage
Lamiaceae	<i>Teucrium</i>	<i>canadense</i>	American germander, wood-sage
Linaceae	<i>Linum</i>	<i>usitatissimum</i>	flax
Malvaceae	<i>Abelmoschus</i>	<i>esculentus</i>	okra
Malvaceae	<i>Abutilon</i>	<i>theophrasti</i>	butterprint, velvetleaf
Malvaceae	<i>Gossypium</i>	<i>hirsutum</i>	upland cotton
Malvaceae	<i>Malva</i>	<i>parviflora</i>	little mallow
Malvaceae	<i>Malvella</i>	<i>leprosa</i>	alkali mallow, alkali sida
Malvaceae	<i>Sida</i>	<i>spinosa</i>	prickly mallow, prickly sida
Oxalidaceae	<i>Oxalis</i>	<i>stricta</i>	yellow woodsorrel
Papaveraceae	<i>Papaver</i>	<i>rhoeas</i>	corn poppy
Pedaliaceae	<i>Sesamum</i>	<i>indicum</i>	sesame
Pinaceae	<i>Abies</i>	<i>concolor</i>	white fir
Pinaceae	<i>Pinus</i>	<i>ponderosa</i>	ponderosa pine, western yellow pine
Plantaginaceae	<i>Plantago</i>	<i>aristata</i>	bracted plantain

Family	Genus	Specific epithet	common names
Plantaginaceae	<i>Plantago</i>	<i>lanceolata</i>	buckhorn, buckhorn plantain
Plantaginaceae	<i>Plantago</i>	<i>major</i>	broadleaf plantain, common plantain
Plantaginaceae	<i>Plantago</i>	<i>rugelii</i>	blackseed plantain, Rugel's plantain
Plantaginaceae	<i>Plantago</i>	<i>virginica</i>	paleseed plantain, Virginia plantain
Plantaginaceae	<i>Veronica</i>	<i>officinalis</i>	common speedwell
Poaceae	<i>Achnatherum</i>	<i>hymenoides</i>	Indian ricegrass
Poaceae	<i>Aegilops</i>	<i>cylindrica</i>	jointed goatgrass
Poaceae	<i>Agropyron</i>	<i>desertorum</i>	standard crested wheatgrass
Poaceae	<i>Agrostis</i>	<i>capillaris</i>	colonial bentgrass
Poaceae	<i>Agrostis</i>	<i>gigantea</i>	redtop
Poaceae	<i>Alopecurus</i>	<i>geniculatus</i>	water foxtail
Poaceae	<i>Alopecurus</i>	<i>pratensis</i>	meadow foxtail
Poaceae	<i>Andropogon</i>	<i>gerardii</i>	big bluestem
Poaceae	<i>Anthoxanthum</i>	<i>odoratum</i>	sweet vernalgrass
Poaceae	<i>Apera</i>	<i>spica-venti</i>	windgrass
Poaceae	<i>Arrhenatherum</i>	<i>elatius</i>	tall oatgrass
Poaceae	<i>Avena</i>	<i>fatua</i>	wild oat
Poaceae	<i>Avena</i>	<i>sativa</i>	oat
Poaceae	<i>Axonopus</i>	<i>fissifolius</i>	carpetgrass
Poaceae	<i>Bothriochloa</i>	<i>ischaemum</i>	yellow bluestem
Poaceae	<i>Bouteloua</i>	<i>curtipendula</i>	side-oats grama
Poaceae	<i>Bouteloua</i>	<i>dactyloides</i>	buffalograss
Poaceae	<i>Bouteloua</i>	<i>gracilis</i>	blue grama
Poaceae	<i>Bromus</i>	<i>catharticus</i> var. <i>cartharticus</i>	prairie brome, rescuegrass
Poaceae	<i>Bromus</i>	<i>commutatus</i>	hairy brome, hairy chess
Poaceae	<i>Bromus</i>	<i>diandrus</i> var. <i>rigidus</i>	ripgut brome, giant brome
Poaceae	<i>Bromus</i>	<i>hordeaceus</i>	blando brome, soft chess
Poaceae	<i>Bromus</i>	<i>inermis</i> subsp. <i>inermis</i>	smooth brome, smooth brome grass
Poaceae	<i>Bromus</i>	<i>japonicus</i>	Japanese brome, Japanese chess
Poaceae	<i>Bromus</i>	<i>secalinus</i>	cheat, chess
Poaceae	<i>Bromus</i>	<i>tectorum</i>	downy brome
Poaceae	<i>Cenchrus</i>	<i>spinifex</i>	coast sandbur, field sandbur
Poaceae	<i>Chloris</i>	<i>gayana</i>	rhodesgrass
Poaceae	<i>Cynodon</i>	<i>dactylon</i> var. <i>dactylon</i>	bermudagrass
Poaceae	<i>Cynosurus</i>	<i>cristatus</i>	crested dogtail
Poaceae	<i>Dactylis</i>	<i>glomerata</i>	orchardgrass
Poaceae	<i>Digitaria</i>	<i>ischaemum</i>	smooth crabgrass
Poaceae	<i>Digitaria</i>	<i>sanguinalis</i>	hairy crabgrass, large crabgrass
Poaceae	<i>Echinochloa</i>	<i>crus-galli</i>	barnyardgrass
Poaceae	<i>Echinochloa</i>	<i>frumentacea</i>	Japanese millet
Poaceae	<i>Eleusine</i>	<i>indica</i>	goosegrass
Poaceae	<i>Elymus</i>	<i>canadensis</i>	Canada wildrye
Poaceae	<i>Elymus</i>	<i>lanceolatus</i>	streambank wheatgrass, thickspike wheatgrass, northern wheatgrass
Poaceae	<i>Elymus</i>	<i>repens</i>	quackgrass

Family	Genus	Specific epithet	common names
Poaceae	<i>Elymus</i>	<i>trachycaulus</i>	slender wheatgrass
Poaceae	<i>Elymus</i>	<i>virginicus</i>	Virginia wildrye
Poaceae	<i>Eragrostis</i>	<i>cilianensis</i>	strong-scented stinkgrass
Poaceae	<i>Eremochloa</i>	<i>ophiuroides</i>	centipedegrass
Poaceae	<i>Eriochloa</i>	<i>aristata</i>	bearded cupgrass
Poaceae	<i>Festuca</i>	<i>arundinacea</i>	tall fescue
Poaceae	<i>Festuca</i>	<i>rubra</i>	creeping red fescue, red fescue and/or chewings fescue
Poaceae	<i>Festuca</i>	<i>trachyphylla</i>	hard fescue
Poaceae	<i>Glyceria</i>	<i>grandis</i>	American mannagrass
Poaceae	<i>Holcus</i>	<i>lanatus</i>	velvetgrass
Poaceae	<i>Hordeum</i>	<i>jubatum</i>	foxtail barley, squirreltail barley
Poaceae	<i>Hordeum</i>	<i>vulgare</i>	barley
Poaceae	<i>Leptochloa</i>	<i>dubia</i>	green sprangletop
Poaceae	<i>Lolium</i>	<i>multiflorum</i>	annual ryegrass, Italian ryegrass
Poaceae	<i>Lolium</i>	<i>perenne</i>	perennial ryegrass
Poaceae	<i>Lolium</i>	<i>persicum</i>	Persian darnel, Persian ryegrass
Poaceae	<i>Lolium</i>	<i>temulentum</i>	darnel, poison ryegrass
Poaceae	<i>Nassella</i>	<i>trichotoma</i>	serrated tussock
Poaceae	<i>Nassella</i>	<i>viridula</i>	green needlegrass
Poaceae	<i>Oryza</i>	<i>sativa</i>	rice
Poaceae	<i>Panicum</i>	<i>capillare</i>	witchgrass
Poaceae	<i>Panicum</i>	<i>miliaceum</i> subsp. <i>miliaceum</i>	broomcorn millet, proso millet
Poaceae	<i>Panicum</i>	<i>virgatum</i>	switchgrass
Poaceae	<i>Pascopyrum</i>	<i>smithii</i>	western wheatgrass
Poaceae	<i>Paspalum</i>	<i>dilatatum</i>	dallisgrass
Poaceae	<i>Paspalum</i>	<i>notatum</i>	bahiagrass
Poaceae	<i>Pennisetum</i>	<i>ciliare</i>	hairy buffelgrass
Poaceae	<i>Pennisetum</i>	<i>glaucum</i>	pearl millet
Poaceae	<i>Phalaris</i>	<i>arundinacea</i>	reed canarygrass
Poaceae	<i>Phalaris</i>	<i>canariensis</i>	canarygrass
Poaceae	<i>Phleum</i>	<i>pratense</i>	timothy
Poaceae	<i>Poa</i>	<i>annua</i>	annual bluegrass
Poaceae	<i>Poa</i>	<i>bulbosa</i>	bulbous bluegrass
Poaceae	<i>Poa</i>	<i>compressa</i>	Canada bluegrass
Poaceae	<i>Poa</i>	<i>pratensis</i>	Kentucky bluegrass
Poaceae	<i>Poa</i>	<i>trivialis</i>	rough bluegrass
Poaceae	<i>Psathyrostachys</i>	<i>juncea</i>	Russian wildrye
Poaceae	<i>Pseudoroegneria</i>	<i>spicata</i>	beardless wheatgrass, bluebunch wheatgrass
Poaceae	<i>Schizachyrium</i>	<i>scoparium</i>	little bluestem
Poaceae	<i>Secale</i>	<i>cereale</i>	rye
Poaceae	<i>Setaria</i>	<i>faberi</i>	giant foxtail
Poaceae	<i>Setaria</i>	<i>italica</i> subsp. <i>italica</i>	foxtail millet, Italian millet
Poaceae	<i>Setaria</i>	<i>parviflora</i>	knotroot bristlegrass

Family	Genus	Specific epithet	common names
Poaceae	<i>Setaria</i>	<i>pumila</i> subsp. <i>pumila</i>	yellow bristlegrass, yellow foxtail
Poaceae	<i>Sorghastrum</i>	<i>nutans</i>	yellow indiagrass
Poaceae	<i>Sorghum</i>	<i>xalmum</i>	almum sorghum; Columbus grass
Poaceae	<i>Sorghum</i>	<i>bicolor</i> nothosubsp. <i>drummondii</i>	sudangrass, sorghum-sudangrass
Poaceae	<i>Sorghum</i>	<i>bicolor</i> subsp. <i>bicolor</i>	broom corn, milo, shattercane, sorghum
Poaceae	<i>Sorghum</i>	<i>halepense</i>	johnsongrass
Poaceae	<i>Sporobolus</i>	<i>airoides</i>	alkali sacaton
Poaceae	<i>Taeniatherum</i>	<i>caput-medusae</i>	medusahead, medusahead rye
Poaceae	<i>Thinopyrum</i>	<i>ponticum</i>	tall wheatgrass
Poaceae	<i>Triticum</i>	<i>aestivum</i> subsp. <i>aestivum</i>	common wheat
Poaceae	<i>Triticum</i>	<i>aestivum</i> subsp. <i>spelta</i>	spelt
Poaceae	<i>Triticum</i>	<i>turgidum</i> subsp. <i>durum</i>	durum wheat
Poaceae	<i>xTritosecale</i>	<i>spp.</i>	triticale
Poaceae	<i>Urochloa</i>	<i>ramosa</i>	browntop millet
Poaceae	<i>Vulpia</i>	<i>myuros</i>	rattail fescue
Poaceae	<i>Vulpia</i>	<i>octoflora</i>	six-weeks fescue
Poaceae	<i>Zea</i>	<i>mays</i>	corn
Polygonaceae	<i>Fagopyrum</i>	<i>esculentum</i>	buckwheat, common buckwheat
Polygonaceae	<i>Fallopia</i>	<i>convolvulus</i>	black bindweed, wild buckwheat
Polygonaceae	<i>Persicaria</i>	<i>lapathifolia</i>	pale smartweed
Polygonaceae	<i>Persicaria</i>	<i>maculosa</i>	ladysthumb
Polygonaceae	<i>Polygonum</i>	<i>aviculare</i>	prostrate knotweed
Polygonaceae	<i>Rheum</i>	<i>x rhabarbarum</i>	rhubarb
Polygonaceae	<i>Rumex</i>	<i>acetosa</i>	sorrel, garden sorrel
Polygonaceae	<i>Rumex</i>	<i>acetosella</i>	red sorrel, sheep sorrel
Polygonaceae	<i>Rumex</i>	<i>crispus</i>	curly dock, sour dock
Portulacaceae	<i>Portulaca</i>	<i>oleracea</i>	purslane
Primulaceae	<i>Anagallis</i>	<i>arvensis</i>	scarlet pimpernel
Ranunculaceae	<i>Ranunculus</i>	<i>abortivus</i>	small-flower buttercup, small-flower crowfoot
Ranunculaceae	<i>Ranunculus</i>	<i>acris</i>	tall buttercup
Ranunculaceae	<i>Ranunculus</i>	<i>repens</i>	creeping buttercup
Rosaceae	<i>Rosa</i>	<i>multiflora</i>	multiflora rose
Rubiaceae	<i>Galium</i>	<i>aparine</i>	cleavers, galium
Rubiaceae	<i>Richardia</i>	<i>scabra</i>	Florida pusley, Mexican-clover
Rubiaceae	<i>Sherardia</i>	<i>arvensis</i>	field madder
Sapindaceae	<i>Acer</i>	<i>rubrum</i>	red maple
Sapindaceae	<i>Cardiospermum</i>	<i>halicacabum</i>	ballonvine, heartseed
Scrophulariaceae	<i>Verbascum</i>	<i>thapsus</i>	common mullein
Solanaceae	<i>Capsicum</i>	<i>spp.</i>	pepper
Solanaceae	<i>Datura</i>	<i>stramonium</i>	jimsonweed
Solanaceae	<i>Nicotiana</i>	<i>tabacum</i>	tobacco
Solanaceae	<i>Physalis</i>	<i>alkekengi</i>	chinese lanternplant
Solanaceae	<i>Solanum</i>	<i>carolinense</i>	Carolina horsenettle, bullnettle

Family	Genus	Specific epithet	common names
Solanaceae	<i>Solanum</i>	<i>elaeagnifolium</i>	white horsenettle, purple nightshade, silverleaf nightshade
Solanaceae	<i>Solanum</i>	<i>lycopersicum</i> var. <i>lycopersicum</i>	tomato
Solanaceae	<i>Solanum</i>	<i>melongena</i>	eggplant
Solanaceae	<i>Solanum</i>	<i>nigrum</i>	black nightshade
Solanaceae	<i>Solanum</i>	<i>ptychanthum</i>	eastern black nightshade
Solanaceae	<i>Solanum</i>	<i>rostratum</i>	buffalobur
Verbenaceae	<i>Verbena</i>	<i>stricta</i>	hoary vervain, woolly vervain
Zygophyllaceae	<i>Tribulus</i>	<i>terrestris</i>	puncturevine